




# Product Technical Specification

Supplier product code	02836		 <b>BAKELS</b> BAKERY INGREDIENTS SINCE 1904
Version	0007		
Issue date	13.08.2024		
Range	Renshaw Extra		
Product title	White Icing MB		
Product description			 the home of <b>RENSHAW</b> BAKING
A white ready to use icing specially formulated to be extra firm and extra elastic. It has a firmer texture than standard Renshaw Professional. It is suitable for hotter and more humid climates .			
Pack size:	2 x 2.5kg e		
Contacts			
Customer Services	Email:	<a href="mailto:liverpoolsales@bakels.com">liverpoolsales@bakels.com</a>	
Specifications queries	Email:	<a href="mailto:specifications@bakels.com">specifications@bakels.com</a>	
Address:	<b>BRITISH BAKELS LIMITED</b> 229 Crown Street Liverpool Merseyside L8 7RF		
Applications information	Web address:	<a href="https://www.renshawbaking.com">https://www.renshawbaking.com</a>	
	Contact:	<a href="mailto:info@renshawbaking.com">info@renshawbaking.com</a>	
Legal Compliance			
This product, it's hygienic manufacture, food safety, ingredients, packaging, labelling, storage and transportation within our control, conform to all relevant UK/EU legislation in force at the date of manufacture.			
The product is warranted as per the statement included in the sales documentation at time of purchase.			
GFSI Certification			
BRCGS	<a href="https://www.brcdirectory.com/InternalSite//Site.aspx?BrcSiteCode=1060562">https://www.brcdirectory.com/InternalSite//Site.aspx?BrcSiteCode=1060562</a>		
Completed on behalf of British Bakels Limited.			
Signed:			
Name:	Bernadette Rainey		
Position:	Specifications Technologist		



# Product Technical Specification

Legal name
Sugar paste
Ingredients list
Sugar, Glucose Syrup, Palm Oil, Humectant: Vegetable Glycerol, Emulsifier: Mono- and Di- Glycerides of Fatty Acids, Stabilisers: Tragacanth Gum, Carboxymethyl Cellulose; Preservative: Potassium Sorbate, Natural Flavouring.
Made in a factory that handles nut ingredients (Almonds)

Composition	Typical figures %	Countries of origin
Sugar	75 - 85	Argentina, Australia, Belgium, Belize, Brazil, Columbia, Costa Rica, Croatia, El Salvador, Eswatini, Denmark, Fiji, France, Germany, Guadeloupe, Guatemala, Guyana, Honduras, Jamaica, Laos, Malawi, Mauritius, Mexico, Mozambique, Netherlands, Nicaragua, Panama, Paraguay, Peru, Poland, Portugal, Reunion, South Africa, Thailand, United Kingdom, USA, Zambia.
Glucose Syrup	5 - 10	UK, Belgium, France, Netherlands
Palm Oil	1 - 5	Papua New Guinea, Solomon Islands, Malaysia, Indonesia, Brazil, Colombia, Guatemala, Costa Rica, Honduras, Peru, Ecuador
Water	< 5	UK
Humectant: Vegetable Glycerol (E422)	1 - 5	UK, Germany, Belgium, France, Netherlands
Emulsifier: Mono- and Di- Glycerides of Fatty Acids (E471)	<1	Indonesia, Malaysia, Papua New Guinea, Solomon Islands (Manufactured in Denmark, Spain, Netherlands, Malaysia)
Stabiliser: Tragacanth Gum (E413)	<1	Turkey
Stabiliser: Carboxymethyl Cellulose (E466)		France
Preservative: Potassium Sorbate (E202)	<1	China
Natural Flavouring	<1	UK

Colour pigment
N/A
N/A



# Product Technical Specification

Palm oil details	
Contains components sourced from Palm Oil/Palm Kernel Oil and/ or derivatives	Palm Oil and E471 derived from palm oil
RSPO information	Palm Oil - RSPO Segregated supply chain certified E471 - RSPO MB supply chain certified Finished product is RSPO MB supply chain certified.

Nutritional	
Method: Calculated	Typical figures per 100 g
Energy (kJ/kcal)	1698 / 401
Fat (g)	6.5
of which saturates (g)	3.7
Carbohydrates (g)	85.5
of which sugars (g)	83.9
Protein (g)	0.0
Salt (g)	0.00

Dietary information		
	Suitable for	Comments
Vegetarians	Yes	
Vegans	Yes	
Kosher	Yes	Certified. Certificate available on request.
Halal	Yes	Certified. Certificate available on request.

Genetically modified materials
To the best of our knowledge, this product is not made from genetically modified material and does not use processing aids or additives which are genetically modified. A GM policy is available on request.
Irradiated materials
This product does not contain any ingredients that have been treated with ionising radiation.
Nanomaterials
This product does not contain any engineered nanomaterials.

Shelf life: unopened
24 months from date of manufacture.
Shelf life: opened
Once opened, it is the responsibility of our customers to establish the maximum permitted time until all material should be used. This will depend on their specific environment, practices and procedures.



# Product Technical Specification

Free From claims				
We do not make any "Free From" claims for our products as we do not conduct any validation testing.				
Substances or products causing allergies or intolerances				
Substance	Product ingredient contains?	Used on same production line?	Used in same Factory	Comments
Cereals containing gluten, wheat; rye; barley; oats; spelt; kamut and products thereof, except: wheat based glucose syrups including dextrose.	No	No	No	
	Yes	Yes	Yes	Exempt from allergen labelling
Crustaceans and products thereof	No	No	No	
Eggs and products thereof	No	No	Yes	Dried Egg White
Fish and products thereof	No	No	No	
Peanuts and products thereof	No	No	No	
Soybeans and products thereof	No	Yes	Yes	Lecithins
Milk and products thereof, including lactose	No	Yes	Yes	Milk, butter, and other derivatives
Nuts: Almonds; hazelnuts; walnuts; cashews; pecan nuts; Brazil nuts; pistachio nuts; macademia	No	No	Yes	Almonds
Celery and products thereof	No	No	No	
Mustard and products thereof	No	No	No	
Sesame seeds and products thereof	No	No	No	
Sulphur dioxide and sulphites > 10 mg/kg	No	No	Yes	Present in finished product at <10mg/kg
Lupin and products thereof	No	No	No	
Molluscs and products thereof	No	No	No	



# Product Technical Specification

Microbiological testing		
At the time of manufacture		
Organism	Target	Maximum
TVC	<5000 cfu/g	5000 cfu/g
Yeasts & Moulds	<10 cfu/g	100 cfu/g
Enterobacteraceae	<10 cfu/g	10 cfu/g
Salmonella	Not detected in 25g	N/A
CLAS accredited methodology used. Test frequency based on risk assessment (British Bakels - Liverpool, in-house lab)		

Chemical		
Test	Method	Standard
Moisture	Karl Fischer titration	5.5 - 6.5%

Physical		
Test	Method	Standard
Appearance	Organoleptic	Clean white sugarpaste. Free from any visible lumps or specks.
Flavour	Organoleptic	Sweet vanilla.
Texture	Organoleptic	Smooth to slightly powdery and soft to the bite leading to a pasty, sticky mouth coating which then dissolves away.
Aroma	Organoleptic	Sweet vanilla.



# Product Technical Specification

## Brief process description

Milled sugar is combined with fat, glucose, gum and flavouring to give a ready to roll icing which is perfect for decorating cakes and/or modelling. The paste is packed, checkweighed and metal detected.

## Overview of HACCP - available upon request

## Metal detection

Checked at start up, every hour and end of each packing run: 2.5mm Ferrous, 2.5mm Non-Ferrous, 3.0mm Stainless Steel test pieces.

## Sieves

Not appropriate for this product type.

## Packaging


Printed blue 12µm Alox PET/ 38µm LDPE film with a 3 page peel & reveal label applied to back of pack. Packed 2 per corrugated fibreboard outer case. Outer case label applied.  
20 cases per layer, 8 layers high, 160 cases per pallet. All pallets shrink/stretched wrapped.

## Recycling information

Film - Plastic not currently recycled  
Outer case - Card widely recycled

## Production date code

5 digit code. 1st & 2nd = year; 3-5 = day of the year e.g 26/08/2016 = 16238  
In the event of any issues, please quote information as per example below:





# Product Technical Specification

Health & safety data		
Physical Appearance		Clean white sugarpaste.
Ingredients		See ingredients section of the specification.
Intended use		For bakery use.
Storage & Handling		See specification.
Occupational exposure hazards		None, under normal conditions of use at room temperature. Avoid eye contact.
Fire/explosion hazard		The product will burn if ignited, but under normal conditions of use, will present no fire risk.
First Aid	Eyes:	Flush with plenty of water. Seek medical advice if needed.
	Skin:	Wash with soap and water.
	Ingestion:	No hazard under normal conditions of use.
	Inhalation:	No hazard under normal conditions of use.
Spillage		Wash area with detergent and water to avoid slip hazard.
Disposal of waste		Normal waste disposal in accordance with local and national laws.
Other hazards		None known.
Protective clothing		Normal for food handling.



## Product Technical Specification

### Ready to Roll Icing handling and usage instructions

Ready to roll icing is typically made from icing sugar, glucose syrup, vegetable oil, stabilisers, glycerine, emulsifiers, preservative and flavouring; colours may also be added. (Refer to the ingredients list).

### Possible applications:

Sheeting and covering, moulding, basic modelling and cutting shapes.

### Recommended storage

Ready to roll icing should be stored in ambient, dry conditions between 14°C and 18°C, away from heat sources and odorous materials. The shelf life of icing is recommended provided the packaging remains unopened and product is stored correctly. It is the responsibility of our customers to carefully consider and establish that the icing lasts for the required shelf life of their end products.

### Recommended handling and processing:

#### a) Opening

Once opened, ready to roll icing should not be exposed to air for prolonged periods as product will harden and also potentially become prone to microbiological contamination.

Once opened, it is the responsibility of our customers to establish the maximum permitted time until all material should be used. This will depend on their specific environment, practices and procedures.

#### b) Unused material

Any unused material should immediately be wrapped in close fitting polythene, expelling as much air as possible; then stored in an airtight container for later use.

It is the responsibility of our customers to carefully consider and establish that any re-wrapped material is fit for purpose when using it.

#### c) Handling

For best results before using the icing, ensure it's tempered to room temperature.

Using the heels of both hands, gently knead the paste to warm it and to improve elasticity and pliability.

#### d) Rolling out

Roll out the ready to roll icing on a non-stick surface using a rolling pin and icing sugar to dust the work surface, avoid using an excess of icing sugar as it will cause icing to dry out and crack.

Never roll out cold icing, always ensure you knead the product before rolling out.

Avoid the use of flour to prevent sticking or aid sheeting, as this will potentially introduce both a microbiological and allergen issue.



## Product Technical Specification

### e) Placing sugarpaste on cake

Gently lift the rolled out layer of Ready to roll icing with a rolling pin or with both hands, taking care not to stretch or tear it, position carefully on cake.

Smooth and shape the icing on cake top and sides until it feels silky to the touch, immediately trim any excess icing flush with the base of the cake using a sharp knife.

### f) Colouring

If colouring white ready to roll icing, always use a suitable paste food colouring.

Renshaw has an extensive range of pre-coloured Renshaw Professional Ready to Roll icing options.

### g) Adherence on cakes

Alcohol, clear spirit or cooled boiled water is recommended to be applied to marzipan layer, to aid adherence of icing layer onto the first marzipan layer.

If covering onto a sponge cake, a thin coating of butter cream is recommended to be applied to it to aid adherence of icing layer onto the cake.

### h) Adherence of models

Alcohol, clear spirit or cooled boiled water is recommended to aid the adherence of any models to the icing layer.

### Rework

Ensure rework is not overexposed to air or moisture causing drying out or stickiness. Where material is reworked this should not be contaminated with cake crumb or jam.

Rework material should be kept in a cool dry place, wrapped well and used within a short period of time.

It is the responsibility of our customers to carefully consider and establish that any re-work material is fit for purpose and that the maximum permitted time until all material should be used when using it, depending on their specific environment, practices and procedures.

### Water activity

The imbalance of water activity between the various components of a cake will potentially cause moisture migration to the icing layer. This should be considered during the development of any products.



## Product Technical Specification

### Things to be aware of:

Ready to roll icing may dry out or crack if the icing has been over exposed to air during or prior to handling, too much dusting sugar will also cause drying out and cracking of the icing.

Ready to roll icing may become sticky if it has been exposed to moisture during or prior to handling. This may be caused by an imbalance of water activity between various cake layers. If adding food colourings to icing, you must always use paste food colours, as liquids will soften the icing.